

PP-9745 & PP-9745W

PP-9755 & PP-9755W



FEC

PP-9745/PP-9755

Speaker

Speaker

LED Indicator
Blue = System On
Red = System Off

Power Button



FEC



© COPYRIGHT 2020 FIRICH ENTERPRISES CO., LTD. ALL RIGHTS RESERVED.

FEC



© COPYRIGHT 2020 FIRICH ENTERPRISES CO., LTD. ALL RIGHTS RESERVED.

FEC

PP-9745W/PP-9755W

LED Indicator
Blue = System On
Red = System Off

Power Button

Speaker

Speaker



Color Plan

FEC



Choose Dual Hinge or Single Hinge


Dual Hinge =
Hinge #1 + Hinge #2

Single Hinge =
Hinge #1
D.I.Y. installation by
customer:
2 x thumb screws
2 x screws




	PP-9745/PP-9755	PP-9745W/PP-9755W
Processor	Alder Lake –S Up to i5	Alder Lake –S Up to i5
Chipset	H610/Q670	H610/Q670
Screen Size	15"	15.6"
Aspect Ratio	4 : 3	16 : 9
Resolution	1024 x 768	1920 x 1080
Touch	P-Cap	P-Cap
Brightness	400 nits / LED	300 nits / LED
Intel SW RAID	Yes, with Q670 Chipset (PP-9755) and Qualifying i5 CPU	Yes, with Q670 Chipset (PP-9755W) and Qualifying i5 CPU
VPRO	Yes, with Q670 Chipset (PP-9755) and Qualifying i5 CPU	Yes, with Q670 Chipset (PP-9755W) and Qualifying i5 CPU
Memory	DDR4 (1 x SODIMM Socket) Up to 32GB	
Storage	M.2 x 1 PCIe Gen III 2280 (Default) Tray M.2 x 1 PCIe Gen III 2280 (Q670) By Riser Card & Optional Tray	
OS Support	Windows 10 Enterprise Windows 11 Enterprise Linux by Request	
Speaker	2W x 2	
Power adapter	90W or 130W	

I/O Interface




1

Smart I/O port to
DB9 (RS232) Male
Port




2

Smart I/O port to
DC-out 12V




3

Smart I/O port to
USB 2.0 Type B
Male and DC-out
24V (3pin)



4

Smart I/O port to
USB 2.0 Type B
Male and DC-out
12V



Peripherals



Add-on Devices

MSR
Fingerprint Reader
RFID
iButton
MSR & RFID 2 in 1

2nd Displays

XP-2025 Customer Display
XM-1010W (Smart DP)

FEC




Arm Type (Available for Dual hinge& Single Hinge Stands)

FEC

2nd Displays

Smart DD Board:
XM-3015
XM-3015W



Arm Type with Low Profile (Available for Dual Hinge Stand)

FEC

2nd Displays

Smart DD Board:
XM-3015
XM-3015W



RIGHT 2020 FIRICH ENTERPRISES CO., LTD. ALL RIGHTS RESERVED.

Pole Type



2nd Displays


Smart DD Board:
XM-3015
XM-3015W

Mounting

Wallmount kit
Type I
Mounting Kit
VESA 100 x 100



Wallmount kit
Type II
Mounting Kit
VESA 100 x 100





Option: power adaptor can be held underneath the stand

90W or 130W Power Adapter



Option: Verifone P400 EFT



Option: FEC Scanner

