


PP-9735 & PP-9735W



PP-9735

Speaker

Speaker

LED Indicator
Blue = System On
Red = System Off

Power Button



FEC



PP-9735W

LED Indicator
Blue = System On
Red = System Off

Power Button

Speaker

Speaker



FEC



Color Plan

FEC





Choose Dual Hinge or Single Hinge

Dual Hinge =
Hinge #1 + Hinge #2

Single Hinge =
Hinge #1
D.I.Y. installation by
customer:
2 x thumb screws
2 x screws




Model	PP-9735 / PP-9735W
Processor	Intel® Celeron® Processor J6412 (1.5M Cache, up to 3.00 GHz)
Memory	DDR4 (1 x SODIMM Socket) Up to 32GB
Storage	1 x M.2 PCIe GenIII / SATAIII (Default) Tray 1 x M.2 SATAIII (Internal)
Display Size	15" / 15.6"
Brightness	400 nits / 300 nits
Aspect Ratio	4:3 / 16:9
Resolution	1024 x 768 / 1920 x 1080
Touch	P-CAP
Power	90W or 130W
Mounting	VESA 100 x 100
Windows	Windows 10 Enterprise Windows 11 Enterprise Linux by Request




1

Smart I/O port to
DB9 (RS232) Male
Port




2

Smart I/O port to
DC-out 12V




3

Smart I/O port to
USB 2.0 Type B
Male and DC-out
24V (3pin)



4

Smart I/O port to
USB 2.0 Type B
Male and DC-out
12V



Peripherals



Add-on Devices

MSR
Fingerprint Reader
RFID
iButton
MSR & RFID 2 in 1

2nd Displays

XP-2025 Customer Display
XM-1010W (Smart DP)




Arm Type (Available for Dual hinge& Single Hinge Stands)

FEC

2nd Displays

Smart DD Board:
XM-3015
XM-3015W



Arm Type with Low Profile (Available for Dual Hinge Stand)

2nd Displays

Smart DD Board:

XM-3015

XM-3015W



Pole Type

FEC



Displays

Smart DD Board:
XM-3015
XM-3015W

Mounting

Wallmount kit
Type I




Mounting Kit
VESA 100 x 100

Wallmount kit
Type II



Mounting Kit
VESA 100 x 100





Option: power adaptor can be held underneath the stand

90W or 130W Power Adapter



Option: Veifone P400 EFT



Option: FEC Scanner



THANK YOU